



2481

**InterCal Croatia d.o.o., Ruđera Boškovića 52, 43 541 Sirač, Republic of Croatia
Quarry Čardak, Ličko Lešće 3, 53 220 Otočac, Republic of Croatia**

22

2481-CPR-0278
4th revision

HRN EN 12620:2008 (EN 12620:2002 + A1:2008)

Aggregate for concrete

Particle shape (shape index)	Category	Sl₂₀
Particle size	Designation	8/16 mm
Particle size - tolerance category	Category	G_c85/20
Particle density – apparent	Declared value	2,71 Mg/m³
Particle density – with pores, dry	Declared value	2,68 Mg/m³
Particle density – saturated, surface dry	Declared value	2,69 Mg/m³
Bulk density	Category	1,31 Mg/m³
Fines content	Declared value	f_{1.5}
Resistance to fragmentation/crushing	Category	LA₃₀
Chlorides	Category	< 0,003 %
Acid soluble sulfates	Category	AS_{0,2}
Total sulfur	Declared value	S₁
Water absorption	Declared value	0,5 %
Humus	Declared value	none
Magnesium sulfate test	Category	MS₁₈
Petrographic description	Declared value	Limestone aggregate

This CE mark is related to Declaration of Performance number 2481-CPR-0278 (4.)-4/22.