CE

2481

InterCal Croatia d.o.o., Ruđera Boškovića 52, 43 541 Sirač, Republic of Croatia
Quarry Čardak, Ličko Lešće 3, 53 220 Otočac, Republic of Croatia

22

2481-CPR-0278
4th revision

HRN EN 12620:2008 (EN 12620:2002 + A1:2008)

Aggregate for concrete

Particle size	Designation	**0/4 mm**
Particle size - tolerance category	Category	**G_F85**
Coarseness / fineness	Category	**CP**
Particle density – apparent	Declared value	**2,73 Mg/m^3**
Particle density – with pores, dry	Declared value	**2,70 Mg/m^3**
Particle density – saturated, surface dry	Declared value	**2,71 Mg/m^3**
Bulk density	Declared value	**1,63 Mg/m^3**
Fines content	Category	**f_{10}**
Fines quality (MB)	Category	**MB ≤ 1**
Chlorides	Declared value	**< 0,003 %**
Acid soluble sulfates	Category	**$AS_{0,2}$**
Total sulfur	Category	**S_1**
Water absorption	Declared value	**0,4 %**
Humus	Declared value	**none**
Light organic pollutants	Declared value	**0,00**
Petrographic description	Description	**Limestone (pelmicrite)**

This CE mark is related to Declaration of Performance number *2481-CPR-0278 (4.)-3/25*.