CE

2481

InterCal Croatia d.o.o., Ruđera Boškovića 52, 43 541 Sirač, Republic of Croatia
Quarry Čardak, Ličko Lešće 3, 53 220 Otočac, Republic of Croatia

22

2481-CPR-0278
4th revision

HRN EN 12620:2008 (EN 12620:2002 + A1:2008)

Aggregate for concrete

Particle shape (shape index)	Category	**SI_{20}**
Particle size	Designation	**4/8 mm**
Particle size - tolerance category	Category	**$G_C85/20$**
Particle density – apparent	Declared value	**2,71 Mg/m^3**
Particle density – with pores, dry	Declared value	**2,68 Mg/m^3**
Particle density – saturated, surface dry	Declared value	**2,69 Mg/m^3**
Bulk density	Declared value	**1,43 Mg/m^3**
Fines content	Category	**$f_{1.5}$**
Chlorides	Declared value	**< 0,003 %**
Acid soluble sulfates	Category	**$AS_{0,2}$**
Total sulfur	Category	**S_1**
Water absorption	Declared value	**0,4 %**
Humus	Declared value	**none**
Petrographic description	Description	**Limestone (pelmicrite)**

This CE mark is related to Declaration of Performance number *2481-CPR-0278 (4.)-6/25*.